

# **CASWELL INC**

# Safety Data Sheet Mask-It

# **SECTION 1: Identification**

#### 1.1 Product identifier

Product name Mask-It

Product number MASK Brand Caswell

# 1.4 Supplier's details

Name Caswell Inc
Address 7696 Route 31
Lyons, NY 14489

USA

Telephone 315 946 1213 Fax 315 946 4456

email sales@caswellplating.com

## 1.5 Emergency phone number(s)

Office Hours (9-4ET): 315 946 1213

24 Hour: CHEMTEL US# 1-800-255-3924 Intl# +01-813-248-0585

# **SECTION 2: Hazard identification**

# 2.1 Classification of the substance or mixture

- Flammable liquids (chapter 2.6), Cat. 2
- Acute toxicity, oral (chapter 3.1), Cat. 4

# 2.2 GHS label elements, including precautionary statements

## **Pictogram**



Hazard statement(s)

H225 Highly flammable liquid and vapor H303 May be harmful if swallowed

H305 May be harmful if swallowed and enters airways

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames, and other ignition

sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P370+P378 In case of fire: Use ... to extinguish.
P403+P235 Store in a well ventilated place. Keep cool.

P501 Dispose of contents/container to ...
P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.
P405 Store locked up.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell,

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

# Hazardous components

#### 1. METHYL ETHYL KETONE

 Concentration
 45 - 60 %

 EC no.
 201-159-0

 CAS no.
 78-93-3

 Index no.
 606-002-00-3

- Flammable liquids (chapter 2.6), Cat. 2

- Serious eye damage/eye irritation (chapter 3.3), Cat. 2

- Specific target organ toxicity following single exposure (chapter 3.8), Cat. 3

H225 Highly flammable liquid and vapor
H319 Causes serious eye irritation
H336 May cause drowsiness or dizziness

#### 2. METHYL ISOBUTYL KETONE

 Concentration
 10 - 25 %

 EC no.
 203-550-1

 CAS no.
 108-10-1

Index no. 606-004-00-4

- Flammable liquids (chapter 2.6), Cat. 2

- Acute toxicity (chapter 3.1), Cat. 4

- Serious eye damage/eye irritation (chapter 3.3), Cat. 2

- Specific target organ toxicity following single exposure (chapter 3.8), Cat. 3

H225 Highly flammable liquid and vapor H319 Causes serious eye irritation

H332 Harmful if inhaled

H335 May cause respiratory irritation

#### 3. WATER OR OTHER NON-REPORTABLE INGREDIENTS

Concentration 45 - 55 % CAS no. 7732-18-5

# **SECTION 4: First-aid measures**

# 4.1 Description of necessary first-aid measures

General advice Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled If breathed in, move person into fresh air. If not breathing, give artificial

respiration.

In case of skin contact Rinse with plenty of water. Get medical attention if irritation develops and

persists.

In case of eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a

physician.

If swallowed Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Rinse mouth with water. Consult a physician.

Personal protective equipment for first-aid responders

See section 8

## 4.2 Most important symptoms/effects, acute and delayed

na

#### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

na

# **SECTION 5: Fire-fighting measures**

## 5.1 Suitable extinguishing media

Dry chemical, foam, carbon dioxide, water fog.

## 5.2 Specific hazards arising from the chemical

Vapor will form explosive mixture with air

## 5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Fire Hazard. Shut off and eliminate all ignition sources.

#### 6.2 Environmental precautions

na

#### 6.3 Methods and materials for containment and cleaning up

Shut off and eliminate all ignition sources. Contain spill and keep from contaminating sewers and waterways. Recover free product. Add suitable absorbent to spill

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): Flammable liquids

# 7.2 Conditions for safe storage, including any incompatibilities

Keep away from heat.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

## 1. 2-Butanone (Methyl ethyl ketone) (CAS: 78-93-3)

PEL (Inhalation): 200 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 590 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 200 ppm, (ST) 300 ppm (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 200 ppm, (ST) 300 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

# 2. Hexone (Methyl isobutyl ketone) (CAS: 108-10-1)

PEL (Inhalation): 100 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 410 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 50 ppm, (ST) 75 ppm (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 50 ppm, (ST) 75 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

#### 8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### **Pictograms**









#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Wear chemical resistant gloves and clothing.

# **Body protection**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

NIOSH/MSHA approved air purifying respirator with an organic vapor cartidge or canister may be permissable under certain circumstances where airborne concentrations are expected to exceed exposure limits.

# **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.) Viscous Blue Liquid

Odor Solvent Odor

Odor threshold

pH na

Melting point/freezing point Initial boiling point and boiling range 180 deg F

Flash point 24 deg F

Evaporation rate 4.6 Flammability (solid, gas) Flammable

Upper/lower flammability limits1.8-10Upper/lower explosive limits10.0Vapor pressure85.0Vapor density5lb/galRelative density0.75-0.95

Solubility(ies) None Partition coefficient: n-octanol/water

Auto-ignition temperature Not Established

Decomposition temperature

Viscosity

Explosive properties

Oxidizing properties VOC: 5lb/gal

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not reactive

# 10.2 Chemical stability

Stable

#### 10.3 Possibility of hazardous reactions

None Known

# 10.4 Conditions to avoid

Heat.

#### 10.5 Incompatible materials

Strong Oxidizers and Alkalis

### 10.6 Hazardous decomposition products

May form oxides of carbon and nitrogen

# **SECTION 11: Toxicological information**

## Information on toxicological effects

# **Acute toxicity**

LC50 : 1 hr. > 10.7 mg/l in rats

THRESHOLD LIMIT VALUE: 50 ppm

#### Skin corrosion/irritation

Not establised

# Serious eye damage/irritation

Pain, irritant.

# Respiratory or skin sensitization

Not establised

#### Germ cell mutagenicity

Not Known

## Carcinogenicity

Not Known

# Reproductive toxicity

Not Known

# STOT-single exposure

Not Known

## STOT-repeated exposure

Not Known

## **Aspiration hazard**

Not Known

# **SECTION 12: Ecological information**

# **Toxicity**

Not Known

#### Persistence and degradability

Not Known

## Bioaccumulative potential

Not Known

# Mobility in soil

Not Known

# **SECTION 13: Disposal considerations**

#### Disposal of the product

Consult appropriate federal and local regulations for disposal. Empty containers are subject to the same regulations.

#### Disposal of contaminated packaging

Consult appropriate federal and local regulations for disposal. Empty containers are subject to the same regulations.

# **SECTION 14: Transport information**

DOT (US)

UN Number: UN1193

Class: 3

Packing Group: II

Proper Shipping Name: Flammable Liquid (Methyl Ethyl Ketone)

Reportable quantity (RQ):

Marine pollutant:

Poison inhalation hazard:

**IMDG** 

UN Number: UN1193

Class: 3

Packing Group: II EMS Number:

Proper Shipping Name: Flammable Liquid (Methyl Ethyl Ketone)

**IATA** 

UN Number: UN11193

Class: 3

Packing Group: II

Proper Shipping Name: Flammable Liquid (Methyl Ethyl Ketone)

# **SECTION 15: Regulatory information**

Version: 1.0, Date of issue: 2016-02-19, p. 7 of 9

## 15.1 Safety, health and environmental regulations specific for the product in question

# **Massachusetts Right To Know Components**

Chemical name: Methyl ethyl ketone

CAS number: 78-93-3

**New Jersey Right To Know Components** 

Common name: METHYL ETHYL KETONE

CAS number: 78-93-3

Pennsylvania Right To Know Components

Chemical name: 2-Butanone CAS number: 78-93-3

**Massachusetts Right To Know Components** 

Chemical name: Methyl isobutyl ketone

CAS number: 108-10-1

**New Jersey Right To Know Components** 

Common name: METHYL ISOBUTYL KETONE

CAS number: 108-10-1

Pennsylvania Right To Know Components

Chemical name: 2-Pentanone, 4-methyl-

CAS number: 108-10-1

## **HMIS Rating**

Mask-It	
HEALTH	1
FLAMMABILITY	3
PHYSICAL HAZARD	0
PERSONAL PROTECTION	G

# **NFPA Rating**



## **SECTION 16: Other information**

#### 16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Caswell Inc be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Caswell Inc has been advised of the possibility of such damages.