

CASWELL INC

Safety Data Sheet Plug N Plate Tin

SECTION 1: Identification

1.1 Product identifier

| | Product name | Plug N Plate Tin |
|-----|---|--|
| | Product number Brand | TINCON Caswell |
| 1.2 | Other means of identification Plug N Plate Tin Solution | |
| 1.3 | Recommended use of the chemical Electroplating Bath | l and restrictions on use |
| 1.4 | Supplier's details | |
| | Name Address | Caswell Inc 7696 Route 31 Lyons, NY 14489 USA |
| | Telephone Fax email | 315 946 1213 315 946 4456 sales@caswellplating.com |
| 1.5 | Emergency phone number(s) | |

Office Hours (9-4ET): 315 946 1213 24 Hour: CHEMTEL US# 1-800-255-3924

Intl# +01-813-248-0585

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

- Skin corrosion/irritation (chapter 3.2), Cat. 1B
- Germ cell mutagenicity (chapter 3.5), Cat. 2
- Corrosive to metals (chapter 2.16), Cat. 1
- Eye damage/irritation (chapter 3.3), Cat. 2A
- Sensitization, skin (chapter 3.4), Cat. 1A
- Hazardous to the aquatic environment long-term hazard (chapter 4.1), Cat. 1
- Acute toxicity, inhalation (chapter 3.1), Cat. 4
- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3

- Specific target organ toxicity, repeated exposure (chapter 3.9), Cat. 2

2.2 GHS label elements, including precautionary statements

Pictogram



| Signal word | Warning |
|----------------------------|---|
| Hazard statement(s) | |
| H314 | Causes severe skin burns and eye damage |
| H341 | Suspected of causing genetic defects |
| H317 | May cause an allergic skin reaction |
| H290 | May be corrosive to metals |
| H319 | Causes serious eye irritation |
| H410 | Very toxic to aquatic life with long lasting effects |
| H332 | Harmful if inhaled |
| H335 | May cause respiratory irritation |
| H336 | May cause drowsiness or dizziness |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| Precautionary statement(s) | |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| P264 | Wash thoroughly after handling. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse |
| | skin with water/shower. |
| P363 | Wash contaminated clothing before reuse. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for |
| | breathing. |
| P310 | Immediately call a POISON CENTER/doctor/ |
| P321 | Specific treatment (see on this label). |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove |
| | contact lenses if present and easy to do. Continue rinsing. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to |
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P302+P352 | IF ON SKIN: Wash with plenty of water/ |
| P333+P313 | If skin irritation or a rash occurs: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P234 | Keep only in original container. |
| P390 | Absorb spillage to prevent material damage. |
| P406 | Store in a corrosive resistant/ container with a resistant inner liner. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P273 | Avoid release to the environment. |
| P391 | Collect spillage. |
| P271 | Use only outdoors or in a well-ventilated area. |

| P312 | Call a POISON CENTER/doctor/ if you feel unwell. |
|-----------|--|
| P403+P233 | Store in a well ventilated place. Keep container tightly closed. |
| P314 | Get medical advice/attention if you feel unwell. |

SECTION 3: Composition/information on ingredients

3.1 Substances

| 1. Tin (II) Sulfate Concentration | 19 % |
|--------------------------------------|-----------------------|
| • | |
| CAS no. | 7488-55-3 |
| | |
| 2. Sulfuric acid (<10%) | |
| Concentration | 2 % |
| EC no. | 231-639-5 |
| CAS no. | 7664-93-9 |
| Index no. | 016-020-00-8 |
| | |
| 3. WATER OR OTHER NON-R | EPORTABLE INGREDIENTS |
| Concentration | 70.0/ |

| Concentration | 79 % |
|---------------|-----------|
| CAS no. | 7732-18-5 |

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

| General advice | Consult a physician. Show this safety data sheet to the doctor in attendance. |
|---------------------------------------|---|
| If inhaled | If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. |
| In case of skin contact | Rinse with plenty of water. Get medical attention if irritation develops and persists. |
| In case of eye contact | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. |
| If swallowed | Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if symptoms occur. |
| Personal protective equipment for fir | st-aid responders See section 8 |

4.2 Most important symptoms/effects, acute and delayed

Material is destructive to mucous membranes and upper respiratory tract, eyes and skin. Inhalation may be fatal as a result of spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use extinguishing media appropriate for surrounding fire.

- 5.2 Specific hazards arising from the chemical None Known
- **5.3** Special protective actions for fire-fighters Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear PPE per section 8.
- 6.2 Environmental precautions Avoid release into the environment.

6.3 Methods and materials for containment and cleaning up

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.2 Conditions for safe storage, including any incompatibilities Keep away from oxidizers.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Tin (II) Sulfate (CAS: 7488-55-3) PEL-TWA: 2mg/m3 (OSHA)

2. Sulfuric acid (<10%) (CAS: 7664-93-9 EC: 231-639-5) PEL-TWA: 1mg/m3 (OSHA)

8.2 Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Pictograms



Eye/face protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Wear chemical resistant gloves and clothing.

Body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

NIOSH/MSHA approved air purifying respirator with an organic vapor cartidge or canister may be permissable under certain circumstances where airborne concentrations are expected to exceed exposure limits.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

| Appearance/form (physical state, color, etc.) Odor Odor threshold pH Melting point/freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower flammability limits Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity | White liquid None na 1 na na na na na na 1.3 Fully miscible in water na na na na na na na na |
|--|---|
| | |
| , | |
| Explosive properties | na |
| Oxidizing properties | na |

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactive

- 10.2 Chemical stability Stable
- **10.5 Incompatible materials** Strong Oxidizers

10.6 Hazardous decomposition products Sulfur oxides, Tin/Tin Oxides

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Harmful if swallowed, inhaled or absorbed through skin. Material is destructive to mucous membranes and upper respiratory tract, eyes and skin. Inhalation may be fatal as a result of spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema.

LD50 Oral Rat - 2207 mh/kg (Tin Sulfate) LC50 Inhalation Rat 4 hour > 2mg/l

Skin corrosion/irritation

Can cause burns and irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitization May be absorbed through skin in harmful amounts.

Germ cell mutagenicity

Suspected of causing genetic problems.

Carcinogenicity Not a carcinogen

STOT-single exposure Respiratory Systen

STOT-repeated exposure Cardi Vascular System

SECTION 12: Ecological information

Toxicity Harmful to the environment.

LC50 - Daphnia Magna 99.5 mg/l - 48 hour (Tin Sulfate)

SECTION 13: Disposal considerations

Disposal of the product

Consult appropriate federal and local regulations for disposal. Empty containers are subject to the same regulations.

Disposal of contaminated packaging

Consult appropriate federal and local regulations for disposal. Empty containers are subject to the same regulations.

SECTION 14: Transport information

DOT (US) UN Number: UN3264 Class: 8 Packing Group: II Proper Shipping Name: Corrosive liquid, acidic, n.o.s. (Sulfuric Acid)

Reportable quantity (RQ): Marine pollutant: Poison inhalation hazard: Quantities under 1 L may be shipped as LTD QTY

IMDG

UN Number: UN3264 Class: 8 Packing Group: II EMS Number: Proper Shipping Name: Corrosive liquid, acidic, n.o.s. (Sulfuric Acid)

IATA UN Number: UN3264 Class: 8 Packing Group: II Proper Shipping Name: Corrosive liquid, acidic, n.o.s. (Sulfuric Acid)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Massachusetts Right To Know Components

Chemical name: Sulfuric acid CAS number: 7664-93-9

New Jersey Right To Know Components Common name: SULFURIC ACID CAS number: 7664-93-9

Pennsylvania Right To Know Components Chemical name: Sulfuric acid CAS number: 7664-93-9

California Prop. 65 components

Chemical name: Sulfuric acid (<10%) CAS number: 7664-93-9 03/14/2003 - Cancer

HMIS Rating

| Plug N Plate Tin | |
|---------------------|-----|
| HEALTH | * 2 |
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 0 |
| PERSONAL PROTECTION | С |

NFPA Rating



SECTION 16: Other information

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Caswell Inc be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Caswell Inc has been advised of the possibility of such damages.